


cod. 500

**Lupo**  
Made in Italy



---

**KICKASSPANEL**  
**FULL COLOR**

## Technical features

Dimensions	180 x 120 x 45 mm
Weight	530 g
CRI (Colour Rendering Index)	> 95, typical 96
Dimmer 0 - 100	included
Dimming curves mode	Linear, Exponential, Logarithmic
Connection for USB type C	included
Connection NP-F-SERIES	included
USB cable type C	included
AC Ballast	not included
AC polarity dependent	center pin positive
Battery NP-F	not included
Watt consumption	20 W
Color Temperature	3200 K - 5600 K
Compliance	CE
Battery Option 1	NP-F-SERIES (7.4 V)
Battery Option 2	V-Mount type (14.8 V)

## Photometric data

Distance	5600 K	3200 K
Lux at 1 m	2150	1750
Lux at 2 m	490	410
Lux at 3 m	252	200

## Mode options

### **CCT (Correlated Color Temperature)**

Mode for variable color temperature control from 2800K to 10000K with the addition of plus and minus green/magenta offset.

---

### **HSI (Hue, Saturation and Intensity)**

Mode for full-color control.

---

### **RGBW**

Mode for control of Red, Green, Blue and White independently.

---

### **Preset**

Mode for a selected variety of gels.

---

### **Special Effects**

Include Strobe – Party – Copcar – Disco – Fire – Candle – Television – Lightning – Paparazzi.

